| | | | | ١. |
|--|---|---|-------------------------|----------|
| . • | Application No. | Applicant(s) | 10 | <i>Y</i> |
| Notice of Allowability | 10/638,427 | STEFANI, FRANCO | W | |
| | Examiner | Art Unit | | |
| | Lours E Edwards | 1724 | _ | |
| | Laura E. Edwards | 1734 | | |
| The MAILING DATE of this communication ap All claims being allowable, PROSECUTION ON THE MERITS nerewith (or previously mailed), a Notice of Allowance (PTOL-8 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3 | IS (OR REMAINS) CLOSED in 35) or other appropriate comm RIGHTS. This application is | n this application. If not included unication will be mailed in due c | d ourse. THIS | |
| I. $igotimes$ This communication is responsive to <u>the filing of the ap</u> | olication as of 8/12/03. | | | |
| 2. ⊠ The allowed claim(s) is/are <u>1-3</u> . | | | | |
| 3. X The drawings filed on 12 August 2003 are accepted by | the Examiner. | | | |
| Acknowledgment is made of a claim for foreign priority a) All b) Some* c) None of the: | under 35 U.S.C. § 119(a)-(d) | or (f). | | |
| 1. Certified copies of the priority documents ha | ave been received. | | | |
| 2. Certified copies of the priority documents ha | ave been received in Application | on No | | |
| 3. Copies of the certified copies of the priority | documents have been receive | d in this national stage applicati | on from the | ; |
| International Bureau (PCT Rule 17.2(a)). | | | | |
| * Certified copies not received: | | | | |
| 6. Acknowledgment is made of a claim for domestic priority | | | a specific | |
| reference was included in the first sentence of the speci | • • | | | |
| (a) The translation of the foreign language provisions Acknowledgment is made of a claim for domestic priority in the first sentence of the specification or in an Applicat | y under 35 U.S.C. §§ 120 and/ | | e was includ | ded |
| | | n ranka agambaing with tha raguir | ·anta nat | d |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" below. Failure to timely comply will result in ABANDONMENT | of this application. THIS THE | REE-MONTH PERIOD IS NOT E | EXTENDAB | |
| 7. ☐ A SUBSTITUTE OATH OR DECLARATION must be sul INFORMAL PATENT APPLICATION (PTO-152) which of | | | TICE OF | |
| CORRECTED DRAWINGS (as "replacement sheets") n (a) ☐ including changes required by the Notice of Draftsp 1) ☐ hereto or 2) ☐ to Paper No | | w (PTO-948) attached | | |
| (b) ☐ including changes required by the proposed drawing | a correction filed whic | th has been approved by the Ex | aminer | |
| (c) ☐ including changes required by the attached Examin | | • | | |
| Identifying indicia such as the application number (see 37 CFF each sheet. Replacement sheet(s) should be labeled as such i | | | ack) of | |
| DEPOSIT OF and/or INFORMATION about the de ttached Examiner's comment regarding REQUIREMENT FOR | | | ote the | |
| Attachment(s) | | | | |
| ☑ Notice of References Cited (PTO-892) | 5⊡ Notice of Info | ormal Patent Application (PTO-1 | 52) | |
| Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No Examiner's Comment Regarding Requirement for Deposit | 6∐ Interview Su | mmary (PTO-413), Paper No | <u> </u> | |
| | /08), 7□ Examiner's A | Amendment/Comment | | |
| | | Statement of Reasons for Allowa | ince | |
| of Biological Material | 9∐ Other | . 4 | | |
| | | Laura E. Edwards | | |
| | | Primary Examiner | | |
| | | Art Unit: 1734 | | |

Application/Control Number: 10/638,427

Art Unit: 1734

Allowable Subject Matter

Claims 1-3 are allowable because there is no teaching or suggestion in the prior art of a device for supplying glaze in rotary machines for decoration of ceramic tiles, of a type where, on a mobile rest plane on which the tiles are translated in a predetermined direction, the following operate: a matrix-bearing cylinder, mobile in rotation about an axis thereof, which matrixbearing cylinder is provided with at least an elastically-deformable peripheral part having a smooth external cylindrical surface made of an elastomer material, on which smooth external cylindrical surface a shape is cut and recessed, which shape is a matrix; at least a doctor predisposed for operating in contact with the external surface of the matrix-bearing cylinder; a supply of glaze being contained in a chamber delimited between the at least a doctor and a portion of the external cylindrical surface of the cylinder facing the doctor in a relative zone of contact there-between; wherein it comprises: a guide which is parallel to the doctor, which guide extends for at least an entire length of the at least a doctor and which guide is located superiorly to a part of the at least a doctor which part is destined to come into contact with the external cylindrical surface of the matrix-bearing cylinder; a flexible element which is destined to slide along the guide and to support at least a flexible conduit for supply of glaze, which flexible conduit terminates in a discharge end which is located superiorly to the chamber; the flexible element being partially wound about and partially coupled in rotation on a drive wheel which can rotate in two directions.

Conclusion

Application/Control Number: 10/638,427

Art Unit: 1734

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The following patents disclose the state of the art with respect to tile coating apparatus: Stefani (US 5,849,082) and Schrauwers et al (US 5,476,545).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Laura E. Edwards whose telephone number is (571) 272-1227. The examiner can normally be reached on M-Th/First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on (703) 308-3853. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.

Laura E. Edwards Primary Examiner Art Unit 1734

Le December 12, 2003